

High Efficient Solar Panels


High photoelectric conversion rate

Charging time: 5-6H



HUMAN BODY INDUCTION

When someone comes, the lights are on, after people go, the lights are dimly lit



≡

Meet all kinds of **OUTDOOR NEEDS**



Wall/Lamp pole/Cement pole installation

IP65 waterproof rating

Completely prevent foreign objects from invading, can withstand heavy rain and strong water spray



Product advantages

all in one solar street light

>>
// SOLAR //



02 ►

Led chip

Using low-power and high-efficiency led chips, high brightness



◀ 01

ABS shell

The shell is made of thick ABS plastic, which has good protect

◀ 03

Radar sensor

Intelligent light control system, and human body sensing system

04 ►

New design

New design, beautiful and atmospheric appearance



◀ 05

Solar panel

Polysilicon solar panel, high photoelectric conversion rate



06 ►


LiFePO4 battery

Large-capacity lithium iron phosphate battery, long life



MULTIPLE INSTALLATION MODE

Bar type installation



Wall installation



Cement pole installation



Anti storm , Lightning protect





Model:BC-180
solar panel size:360*335MM
lamp size:447*70*342MM
power:180W
Lumen:1700Lumen
lighting area:100m³
working time:≥12h
Charing time:5h
solar panel:5V/18W poly
Battery type:3.2v/15000MAH lifepo4
waterproof:IP65
LED Qty:smd5730 480pcs
SIZE:35*40*45
QTY/CTN:5PCS
G.W:13.5KG



Model:BC-240
solar panel size:510*335MM
lamp size:597*70*342M
power:240W
Lumen:2600Lumen
material: ABS plastic
lighting area:150m³
working time:≥12h
Charing time:5h
solar panel:5V/27W poly
Battery type:3.2v/23000MAH lifepo4
waterproof:IP65
LED Qty:smd5730 640pcs
SIZE:61*40*35
QTY/CTN:5PCS
G.W:15.5KG



Model:BC-300
solar panel size:590*335mm
lamp size:677*70*342MM
material:ABS plastic
power:300W
Lumen:3200Lumen
lighting area:200m³
working time:≥12h
Charing time:5h
solar panel:5V/30W poly
battery type:3.2v/28000MAH lifepo4
waterproof:IP65
LED Qty:smd5730 800pcs
SIZE:68*44*35
QTY/CTN:4PCS
G.W:17KG

