


SOLAR FLOOD LIGHT

Intelligent light-control

0 electricity



Solar charging



Long lasting life



IP66 waterproof



Energy saving




Environmental protection



High quality lamp beads

SOLAR PANELS CHARGE QUICKLY

High-quality A grade polysilicon solar panels can quickly access the sun's energy, four hours of light light all night



INTELLIGENT LIGHT-CONTROL

Full use of solar energy, efficient charging, environmentally friendly life;
Dark automatic light, no need to manually turn on the light,
use as you wish.




Automatic charging during the day



Automatic light at night



IP66 Waterproof



Cold Resistance



Heat-Resisting

HIGH-CAPACITY BATTERY

365 days a year lights on, battery overcharge protection, lifespan up to 5 years




150W
16AH

300W
22AH

400W
27AH

HIGH QUALITY LED BEADS

Lamp beads evenly distributed, low light decay, safety, energy-saving, durable.



Brightness
increase

20%

Photoelectric
ascension

18%

Product parameter



30W

Model:T-C30
Solar panel: poly(5V/8)
Lamp Power :30W
LED: SMD5730 40PCS
Lumen: 450LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /5000mAh
Charging time :5H
Working time: ≥ 12H
Lamp size :190x155*45mm
Lighting area :40m³
Solar panel size:360x172x17mm
SIZE:390x295x385MM
QTY/CTN10pcs
G.W:21.5KG



100W

Model:T-C100
Solar panel: poly(5V/18W)
Lamp Power :100W
LED: SMD5730 99PCS
Lumen: 1100LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /16500mAh
Charging time :5H
Working time: ≥ 12H
Lamp size :265x220x70mm
Lighting area :80m³
Solar panel size:340x385x17mm
SIZE:435x365x410MM
QTY/CTN:6pcs
G.W:19.8KG

Model:T-C60
Solar panel: poly(5V/12W)
Lamp Power :60W
LED: SMD5730 69PCS
Lumen: 800LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /10000mAh
Charging time :5H
Working time: ≥ 12H
Lamp size :225x192x72mm
Lighting area :60m³
Solar panel size:340x290x17mm
SIZE:440*325*420MM
QTY/CTN:8pcs
G.W:22KG



60W

Model:T-C200
Solar panel: poly(5V/25W)
Lamp Power :200W
LED: SMD5730 205PCS
Lumen: 2000LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /22000mAh
Charging time :5H
Working time: ≥ 12H
Lamp size :315x265x70mm
Lighting area :100m³
Solar panel size:350x520x17mm
SIZE:540*335*395MM
QTY/CTN: 4pcs
G.W:19KG



200W



300W

Model:T-C300
Solar panel: poly(5V/35W)
Lamp Power :300W
LED: SMD5730 205PCS
Lumen: 2300LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /27500mAh
Charging time :5H
Working time: ≥12H
Lamp size :350x290x75mm
Lighting area :100m³
Solar panel size:350x630x17mm
SIZE:715x265x405MM
QTY/CTN:4pcs
G.W:21.5KG



DESCRIPTION OF REMOTE CONTROL

The 5-8M remote control is easy to operate

