

SOLAR FLOOD LIGHT

Intelligent light-control

0 electricity



Solar charging



Long lasting life



IP66 waterproof



Energy saving




Environmental protection



High quality lamp beads

SOLAR PANELS CHARGE QUICKLY

High-quality A grade polysilicon solar panels can quickly access the sun's energy, four hours of light light all night



INTELLIGENT LIGHT-CONTROL

Full use of solar energy, efficient charging, environmentally friendly life;
Dark automatic light, no need to manually turn on the light,
use as you wish.




Automatic charging during the day

Automatic light at night

HIGH-CAPACITY BATTERY


365 days a year lights on, battery overcharge protection, Lifespan up to 5 years



200W_{25AH} **300W**_{30AH} **400W**_{40AH}

PRODUCT DETAILS


Quality first makes outdoor good lamp



Aluminum engineering
heat conduction
lamp body

HIGH QUALITY LED BEADS

Lamp beads evenly distributed, low light decay, safety, energy-
saving, durable.




Brightness increase **20%**

Photoelectric ascension **18%**



IP66 Waterproof




High transmittance glass
lampshade



Cold Resistance

Heat-Resisting



Battery display

20% 40% 60% 80% 100%

PRODUCT INFORMATION

Quality first makes outdoor good lamp

Model:T-F60
Solar panel: poly(5V/18W)
Lamp Power :60W
LED: SMD5730 72PCS
Lumen: 1000LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /10000mAh
Charging time :5H
Working time: ≥12H
Lamp size :228x56x228mm
Lighting area :60m³
Solar panel size:340x290x17mm
SIZE:410*320*375MM
QTY/CTN:8PCS
G.W:24KG



60W

Model:T-F100
Solar panel: poly(5V/25W)
Lamp Power :100W
LED: SMD5730 108PCS
Lumen: 1100LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /16500mAh
Charging time :5H
Working time: ≥12H
Lamp size :270x58x276mm
Lighting area :80m³
Solar panel size:340x385x17mm
Size:460*370*370MM
Qty/ctn:8pcs
G.W:24.5KG



100W

Model:T-F200
Solar panel: poly(5V/35W)
Lamp Power :200W
LED: SMD5730
Lumen: 2000LM 168PCS
Waterproof grade :IP65
Battery: lifepo4 3.2v /27500mAh
Charging time :5H
Working time: ≥12H
Lamp size :318x63x329mm
Lighting area :100m³
Solar panel size:350x520x17mm
SIZE:595*265*390MM
QTY/CTN:4PCS
G.W:26.8KG



200W

Model:T-F300
Solar panel: poly(5V/40W)
Lamp Power :300W
LED: SMD5730 264PCS
Lumen: 2300LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /33000mAh
Charging time :5H
Working time: ≥12H
Lamp size :380x67x380mm
Lighting area :150m³
Solar panel size:350x630x17mm
SIZE:715*265*405MM
QTY/CTN:4PCS
G.W:27KG



300W

PRODUCT INFORMATION

Quality first makes outdoor good lamp

Model:T-F400
Solar panel: poly(5V/50W)
Lamp Power :400W
LED: SMD5730 372PCS
Lumen: 2800LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /40000mAh
Charging time :5H
Working time: ≥12H
Lamp size :430*68*425mm
Lighting area :200m³
Solar panel size:440x660x25mm
SIZE:880*170*470MM
QTY/CTN:2PCS
G.W:18KG



400W



DESCRIPTION OF REMOTE CONTROL

The 5-8M remote control is easy to operate



APPLICATION SCENARIOS

All of these places can be installed



port wharf crane tower



Stadium lighting