



ALL IN ONE SOLAR STREET LIGHT

- A variety of power options, unique appearance design,
- light weight and waterproof shell design,
- easy to install

PRODUCT advantage

HIGH LUMENS
HIGH CHARGING
EFFICIENCY



Time switch



Intelligent
light control



Wireless
remote control



Solar energy



IP65 waterproof



365 Days Lighting

Light-controlled induction


Fully automatic light control induction, intelligent control



Dusk to Dawn Charging in the Day:
6-8H




Auto Lighting at Dusk More Than:
12-15H




Human body sensing

No motion, 30% brightness;
Motion detected, keep 100% brightness.



Larger capacity battery

Long battery lifespan and more
durable, can save up to 80%
electricity even use in the -20°C~50°C area



High light transmission mask

Innovative design, increase the brightness of the light, so that
the night is not monotonous



Application scenario

Detail determines quality



Product details

Detail determines quality



Highlight patch lamp bead

High quality lamp beads, optical lens transmittance is high, bright soft light, good heat dissipation performance



ABS housing

ABS plastic is resistant to chemical corrosion, heat resistance, and has a certain surface hardness



Stainless steel screws


Stainless steel screws, strong and stable

APPLICATION

Villa road application



Villa application



Specification

Photo							
Model	XL-100	XL-200	XL-300	XL-400	XL-500	XL-600	XL-800
LED Power	100W	200W	300W	400W	500W	600W	800W
LED Chips	SMD5730 231PCS	SMD5730 308PCS	SMD5730 459PCS	SMD5730 594PCS	SMD5730 693PCS	SMD5730 995PCS	SMD5730 1146PCS
Lumens	750 Lumen	1050 Lumen	1450 Lumen	1750 Lumen	2100 Lumen	2500 Lumen	3000 Lumen
Solar panel	Poly 6V 6W	Poly 6V 8W	Poly 6V 12W	Poly 6V 14W	Poly 6V 18W	Poly 6V 26W	Poly 6V 30W
Battery	LiFePO4 (lithium iron phosphate battery)						
Battery	3.2V 4000Mah	3.2V 6000Mah	3.2V 12000Mah	3.2V 18000Mah	3.2V 24000Mah	3.2V 30000Mah	3.2V 36000Mah
Function	Light control + Remote control						
Material	ABS Plastic						
Charging time	5-6 Hours						
Working time	10-12 Hours						
Waterproof	IP66 Waterproof						
Lamp size	203*379*96mm	210*466*86mm	247*606*86mm	250*703*86mm	250*792*86mm	386*649*86mm	386*731*86mm
Solar panel size	302*187mm	383*194mm	508*231mm	605*233mm	694*233mm	527*369mm	611*369mm
Qty/Ctn	10PCS	10PCS	8PCS	5PCS	5PCS	4PCS	4PCS
Weight	13.5KG	16.5KG	22.6KG	17.5KG	19KG	14.6KG	19.8KG



DESCRIPTION OF REMOTE CONTROL

